PRODUCT FACTS

WHAT IT DOES: Helps protect your home from invading Ants, except Carpenter, Red Imported Fire Ant and Pharaoh Ants. Also Kills Crickets, Chinch Bugs, Armyworms (Fall and Yellow-striped), Billbugs, Cutworms, Earwigs, Grubs, Sod webworms, European

WHERE TO USE: Outdoors, on Lawns and as a Band Treatment

	FIRST AID
IF IN EYES:	 Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice.

HOT LINE NUMBER

ontrol center or doctor, or going for treatment. You may also ontact the National Pesticide Telecommunications Network at

NOTE TO PHYSICIAN

No specific antidote is available. Treat the patient symptomatically

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION: Causes moderate eye irritation. Avoid contact with eyes or clothing. Wear long sleeved shirt, long pants, shoes and socks.

ENVIRONMENTAL HAZARDS

This product is highly toxic to fish and aquatic invertebrates. This product is highly toxic to bees exposed to direct treatment or residues on blooming crops or weeds. Do not apply this product or allow it to drift to blooming crops or weeds if bees are foraging the treatment area.

Do not apply directly to water, or to areas where surface water is present or to intertidal areas below the mean high water mark. Do not contaminate water when disposing of equipment washwaters or rinsate. Runoff may be hazardous to aquatic organisms in water adjacent to treated areas

This product contains Imidacloprid with properties and characteristics associated with chemicals detected in groundwater. The use of this chemical in areas where soils are permeable, particularly where the water table is shallow, may result in groundwater contamination.

DIRECTIONS FOR USE

IT IS A VIOLATION OF FEDERAL LAW TO USE THIS PRODUCT IN A MANNER INCONSISTENT WITH ITS LABELING.

Apply this product only as specified on the label.

Do not apply this product in a way that will contact any person or pet, either directly or through drift. Keep people and pets out of the area during application. Keep children and pets off treated area until product has been watered in and lawn is dry. Applicators and other handlers who handle this product should wear long-sleeved shirt, long pants, and shoes with socks.

RESTRICTION: Do not apply more than 4.6 lbs. of this product per 1,000 square feet or 200 lbs. of product (0.4 lbs. of imidacloprid active ingredient) per acre per year.

PRODUCT INFORMATION: Apply according to specific directions for pest(s) to be treated.

This product can be used on lawns, flower beds, ground covers, ornamental trees and shrubs to control White Grubs (including larvae of Asiatic Garden Beetle, Black Turfgrass Ataenius, Chafers, Japanese Beetle, May or June Beetle, and Oriental Beetle), Mole Crickets and European Crane Fly Larvae.

Apply this product before grubs, mole crickets or European crane fly larvae hatch and can cause any damage. Contact your County Extension Agent for the best dates to apply in your area.

PESTS Controlled	WHEN TO APPLY	INDICATION OF DAMAGE	
Grubs	Apply once anytime from May through mid-August.	White grubs cause widespread damage to lawns by feeding on grass roots, causing it to turn yellow, then brown and die.	
European crane fly larvae	Apply once, when these insects are present in large numbers, late summer to mid-fall	European crane fly larvae cause damage by feeding on grass roots and disturbing the soil surface.	
Mole Crickets	Apply once anytime from mid-May through mid-June. Florida residents- Apply once anytime between early April through early May.	Mole crickets cause widespread damage by tunneling through the soil, while some species also feed on roots. Tunneling through the soil uproots the grass causing it to dry out, become thin and weedy, turn yellow and eventually die.	

FLOWER BEDS, GROUND COVERS, ORNAMENTAL TREES AND SHRUBS

APPLICATION INSTRUCTIONS: Apply this product at the rate of 1 tablespoon per 10 square feet of planting bed (3/4 cup per 100 square feet of planting bed). Evenly spread granules to the soil over flower beds, ground cover plantings, and ornamental shrub beds and under ornamental trees. Use a hand-held spreader. Rake granules into the soil around plants. Water thoroughly after application.

APPLICATION OF THIS PRODUCT ON ORNAMENTALS


For use around flower beds, ground covers, ornamental trees and shrubs.

SITE	PEST	RATE	
Flower beds, ground covers, ornamental trees and shrubs	White grub larvae (such as Japanese beetle larvae, Chafers, Asiatic garden beetle, Oriental beetle)	1 TBSP per 10 sq.ft. 3/4 cup per 100 sq.ft. 2-3 lbs. per 1,000 sq.ft.	

LAWNS

APPLICATION INSTRUCTIONS: For control, apply prior to egg hatch of the target pests. Allow rainfall or irrigate sufficiently within 24 hours after application to move the active ingredient through

Do not make applications when turfgrass areas are waterlogged or the soil is saturated with water. Adequate distribution of the active ingredient cannot be achieved when these conditions exist. The area to be treated must be able to accept vertical penetration of rainfall or irrigation water. Do not mow turf or lawn area until after sufficient irrigation or rainfall has occurred so that uniformity of application will not be affected







ACTIVE INGREDIENT

Imidacloprid	0.20%
Lambda-cyhalothrin	0.04%
OTHER INGREDIENTS:	99.76%
TOTAL ·	100 009

(CS-100319A) 0520(01)

SURE GREEN LAWN FERTILIZER LOGO IS A REGISTERED TRADEMARK OF SPRA-GREEN LAWN FERTILIZER

KEEP OUT OF REACH OF CHILDREN CAUTION

See side panel for First Aid and additional Precautionary Statements

NET WEIGHT 40 LBS (18.14 KG)

RATES OF THIS PRODUCT FOR GRUB AND SOIL INSECT CONTROL

PEST	USE DIRECTIONS	RATE
Larvae of: European Crane Fly Annual bluegrass weevil Green June Beetle May or June beetle Asiatic garden beetle Japanese Beetle Billbug Northern masked chafer and Southern masked chafer Black turfgrass ataenius Oriental Beetle Cutworms (suppression), European chafer	For control of grubs, billbugs, European crane fly and annual bluegrass weevil, make application prior to egg hatch of the target pest.	3.4 – 4.6 lbs. per 1,000 sq. ft.
Chinchbug (suppression) Mole Crickets	For suppression of chinchbugs, make application prior to hatching of the instar nymphs. For control of mole crickets make application prior to or during the peak egg hatch period. When adults or large nymphs are present and actively tunneling, apply with a remedial insecticide.	4.6 lbs. per 1,000 sq. ft.

APPLICATION EQUIPMENT: [See Spreader Settings chart below.] Adjust spreader to the appropriate setting to deliver the specified rate, based on the directions from the manufacturer. Make sure that the spreader works properly and spreads granules uniformly Apply to the border and then fill in the center to ensure the entire area is covered completely. To make sure that the product is evenly distributed, walk at a steady pace making parallel passes. Do not use a spreader that applies granules in concentrated or uneven bands. Water thoroughly after application.

Apply early before grubs, mole crickets and European crane fly larvae hatch. Irrigate thoroughly within 24 hours of application to move the granules into the soil. Do not mow until granules are watered into the soil and grass has dried. Do not apply to water saturated areas. This may decrease product effectiveness. This product can be applied over soil or mulch. Remove black plastic or other weed barrier material prior to application.

SPREADER SETTINGS

The following chart can be used as a guide to establish an accurate rate of this product. Application rates will vary depending on speed, equipment wear, and condition of spreader. Carefully calibrate application equipment prior to commercial use of this product.

SPREADER	WALKING SPEED (MPH)	SETTINGS Lbs. of product per 1,000 sq. ft.	
		3.4 LBS.	4.6LBS.
Scotts®/Republic Speedy Green (Broadcast)	3 mph	3 ¾	3 ¾
Fertilome Earthway Ev-N-Spred (Broadcast)	3 mph	14	14

NOTE: The spreader settings stated are approximate. Precisely weigh a few pounds into your spreader and apply to a measured area. To assure correct rate of application, adjust spreader settings

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal.

PESTICIDE STORAGE: Store in a cool, dry area away that is inaccessible to children and pets. Store in original container only.

PESTICIDE DISPOSAL AND CONTAINER HANDLING: Non-refillable container Do not reuse or refill this container. IF EMPTY: Place in trash or offer for recycling if available. IF PARTLY FILLED: Call your local solid waste agency for disposal instructions. Never place unused product down any indoor (including toilet) or outdoor (including sewer) drain.

LIMITATION OF WARRANTY AND LIABILITY

Read the entire direction for use, conditions of warranties and limitations of liability before using this product. If terms are not acceptable, return the unopened product container at once. By using this product, user or buyer accepts the following CONDITIONS, DISCLAIMER OF WARRANTIES, and LIMITATIONS OF LIABILITY.

CONDITIONS: The directions for use of this product are believed to be adequate and must be followed carefully. However, it is impossible t eliminate all risk associated with the use of this product. Crop injury, ineffectiveness or other unintended consequences may result because of such factors as weather conditions, presence of other materials, or the manner of use or application, all of which are beyond the control of Spra-Green Lawn Fertilizer, LLC To the extent consistent with applicable law, all such risks shall be assumed by the user or buyer.

DISCLAIMER OF WARRANTIES: To the extent consistent with applicable law, Spra-Green Lawn Fertilizer, LLC makes no other warranties, express or implied, of merchantability or of fitness for a particular purpose or otherwise, that extend beyond the statements made on this label. No agent of Spra-Green Lawn Fertilizer, LLC is authorized to make any warranties beyond those contained herein or to modify the warranties contained herein. To the extent consistent with applicable law, Spra-Green Lawn Fertilizer, LLC disclaims any liability whatsoever for special, incidental or consequential damages resulting from the use or handling of this product.

LIMITATIONS OF LIABILITY: To the extent consistent with applicable law. the exclusive remedy of the user or buyer for any and all losses, injuries or damages resulting from the use or handling of this product, whether in contract, warranty, tort, negligence, strict liability or otherwise, shall not exceed the purchase price paid or at Spra-Green Lawn Fertilizer, LLC election, the replacement of product.

GUARANTEED ANALYSIS

..19.00% Total Nitrogen (N).. 16.0% Ammoniacal Nitrogen 3.0% Urea Nitrogen Soluble Potash (K₂0)4.00% Sulfur (S) 21.00% 2.7% Free Sulfur (S) 18.3% Combined Sulfur (S) . 1.00% ron (Fe)... Copper (Cu)..... ..0.05% 0.01% Water Soluble Copper (Cu) Manganese (Mn)......0.05% 0.01% Water Soluble Manganese (Mn) 0.01% Water Soluble Zinc (Zn)

Derived from Urea, Ammonium Sulfate, Muriate of Potash, Elemental Sulfur and Iron Oxide. Copper Oxide, Copper Sulfate, Manganese Oxide, Manganese Sulfate, Zinc Oxide, and Zinc Sulfate.

Information concerning the raw materials composing this product can be obtained by writing to Spra-Green Lawn Fertilizer, LLC.



Manufactured for/Guaranteed by: Spra-Green Lawn Fertilizer, LLC PO BOX 845 • 221 N. Main • Portales, NM 88130

