

Table 2. Tolerant Ornamental Species – All States Except CA

Common Name	Scientific Name	Common Name	Scientific Name
Abelia: Sherwood	Abelia grandiflora	Hosta, "Searsucker"	Hosta sieboldiana Houttuynia Cordata var. variegata
Aquilegia: Red and Gold	Aquilegia spp.	Hosta, Plantain Lily (Fragrant)	Hosta plantaginea
Arrowood Viburnum	Viburnum suspensum	Japanese Anemone	Anemone hybrida
Aster: Bonny Blue, Purple	Aster spp.	Lady Fern; Fern Lady	Athyrium filix-femina
Dome	Aster X frikartii	Lady's Leek, Nodding Onion	Allium cernuum
Australian Brushcherry	Syzygium paniculatum	Larkspur; Blue Elf	Delphinium spp.
Baby's Breath	Gypsophila repens	Lavender; Munstead	Lavender spp.
Bigleaf Hydrangea	Hydrangea macrophylla la ensifolia	Lily: Jazz	Lilium spp.
BlackEyed Susan: Goldstrum	Rudbeckia spp.	Lily of the Nile	Agapanthus orientis
Bougainvillea	Bougainvillea spp.	Liriope, Creeping	Liriope spicata
Burgundy	Loropetalum chinense	Liriope, Variegated	Liriope muscari var. variegata
ButterflyBush (Dwarf Blue); Royal Red	Buddleia davidii	Loosestrife; Modern Pink Jodlesong Trumpet Creeper,	Lythrum spp.
Cardinal Flower, Indian Pink	Lobelia cardinalis	Lucifer	Crocosmia spp.
Cheddar Pink	Dianthus gratianopolitanus	Mallow; Disco Belle White	Hibiscus spp.
Chinese Privet; Variegata	Ligustrum sinense	Meadow Rue	Thalictrum dipterocarpum
Columbine; Red and Gold	Aquilegia spp.	Oak, Shumard's Red	Quercus shumardii
Coneflower, Purple; Magnus	Echinacea purpurea	Osmanthus (False Holly): Gulf Tide	Osmanthus heterophyllus
Cooperi Pink	Delosperma spp.	Parsoni	Juniperus davurica
Coral Bell; Bridget Bloom	Heucherella spp.	Pincushion Flower	Scabiosa spp.
Coreopsis (Calliopsis): Early Sunrise, Moonbeam	Coreopsis spp.	Saxifrage; Purple Dome	Saxifraga spp.
Cransbill	Geranium cinereum	Siberian Iris; Cabernet	Iris sibirica
Crape Myrtle; Tuscarora	Lagerstromia indica x fauriei	Snowbank Spirea:	Boltonia asteroides
Crimson Bottlebrush	Callistemon citrinus	Anthony Waterer	Spiraea bumalda
Daylily: Aztec Gold, Stella De Oro, Tender Love	Hemerocallis spp.	Stonecrop	Sedum dasyphyllum
Delaware Valley White	Rhododendron (including Azalea)	Stonecrop; Dragon's Blood;	Sedum spurium
Dianthus, Maiden Pinks Zing	Dianthus deltoids	Stonecrop; Lidakense	Sedum cauticola
Dragonhead, False; Vivid	Physostegia virginiana	Sunrose	Helianthemum spp.
Edelweiss	Leontopodium alpinum	Sword-Leaved Iris	Iris ensata
Evening Primrose	Oenothera missourensis	Trumpet Creeper, Trumpet	Campis X tagliabuana
Flame Creeper	Rhododendron (including Azalea)	Flower Madame Galen	Ceratostigma plumbagioides Chrysanthemum nipponicum
Fibrous Begonia: Hardy	Begonia spp.	Tree Peony	Paeonia suffruticosa
Grandis	Bergenia cordifolia	Tussock Bellflower; (White Clips)	Campanula carpatica
Fountain Grass (Dwarf)**	Pennisetum setaceum perovskia atriplicifolia	Veronica, Speedwell; Sunny Border	Veronica spp.
FiveLeaf or Chocolate Vine	Akebia quintata	Wakeiebisu	Rhododendron (including Azalea)
Gaillardia, Blanket Flower	Gaillardia spp.	Weeping Forsythia	Forsythia sypensa
"Goblin"	Gaura spp.	Weeping Lantana	Lantana montevidensis
Gentian	Gentiana dahurica	White Gumpo	Rhododendron (including Azalea)
George L. Tabor	Rhododendron (including Azalea)	Wormwood; Silver Mound Castle	Artemisia spp.
Germander	Teucrium spp.	Yaku Jima**, Silberfeder**	Miscanthus sinensis
Girard Crimson	Rhododendron (including Azalea)	Yarrow: King Edward	Achillea spp. Agapanthus orientalis
Grape Myrtle; Tuscarora	Lagerstromia indica x fauriei	Yedda Hawthorne	Raphiolepis umbellata
*Do not use on food producing trees, vines, or plants.			
**Not for use on container grown plants.			

PRECAUTIONARY STATEMENTS

Hazards to Humans and Domestic Animals

CAUTION-PRECAUCION

Harmful if absorbed through skin. Harmful if inhaled. Causes moderate eye irritation. Avoid contact with skin, eyes, or clothing. Avoid breathing dust. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum or using tobacco. Wear: Long-sleeved shirt and long pants, shoes plus socks, and chemical-resistant waterproof gloves. Remove and wash contaminated clothing before reuse. Prolonged or frequently repeated skin contact may cause allergic reactions in some individuals.

FIRST AID	
IF ON SKIN OR CLOTHING	• Take off contaminated clothing.
	• Rinse skin immediately with plenty of water for 15 to 20 minutes.
IF IN EYES	• Call a poison control center or doctor for treatment advice.
	• Hold eye open and rinse slowly and gently with water for 15 to 20 minutes.
IF INHALED	• Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye.
	• Call a poison control center or doctor for treatment advice.
IF INHALED	• Move person to fresh air.
	• If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-to-mouth, if possible.
IF INHALED	• Call a poison control center or doctor for further treatment advice.
	• Call a poison control center or doctor for further treatment advice.
HOT LINE NUMBER	
Have the product container or label with you when calling a poison control center or doctor, or going for treatment. You may also contact 1-877-325-1840 for emergency medical treatment information.	

ENVIRONMENTAL HAZARDS

This product has low solubility in water. At the limits of solubility, this product is not toxic to fish. However, at concentrations substantially above the level of water solubility, it may be toxic to fish. Drift and runoff from treated areas may be hazardous to aquatic organisms in adjacent sites. To protect the environment, do not allow pesticide to enter or run off into storm drains, drainage ditches, gutters or surface waters. Applying this product in calm weather when rain is not predicted for the next 24 hours will help to ensure that wind or rain does not blow or wash pesticide off the treatment area. Sweeping any product that lands on a driveway, sidewalk, or street, back onto treated area of the lawn or garden will help to prevent run off to water bodies or drainage systems.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

WHERE TO USE

This product is a selective preemergence herbicide that controls grasses and broadleaf weeds in:

- Established Turfgrasses (excluding golf course putting greens) and Lawns
- Landscape Ornamentals
- Established perennials and wildflower plantings

HOW SURE GREEN CRABGRASS & ANNUAL BLUEGRASS PREVENTER PLUS LAWN FOOD WORKS

Sure Green Crabgrass & Annual Bluegrass Preventer plus Lawn Food controls susceptible weeds by inhibiting growth and development of newly germinated weed seed. Weed control is most effective when Sure Green Crabgrass & Annual Bluegrass Preventer plus Lawn Food is activated with a minimum of 0.5 inches of rainfall or irrigation or by shallow incorporation 1 to 2 inches deep within 14 days of application and before weed seeds germinate.

USE PRECAUTIONS

Not for use on plants being grown for:

- Sale or other commercial uses
- Commercial seed production
- Research purposes
- Do not graze or feed livestock forage cut from areas treated with this product.
- Do not apply aerially.
- Do not apply to putting greens.
- Do not apply through any type of irrigation system.

Failure to follow the directions for use and precautions on this label may result in poor weed control, crop injury, or illegal residues.

STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage and disposal.

PESTICIDE STORAGE: Store in a cool, dry place. Keep container closed and away from food, feedstuffs, and domestic water supplies.

CONTAINER DISPOSAL: Nonrefillable container. Do not reuse or refill this container.

If empty: Place in trash or offer for recycling if available.

If partly filled: Call your local solid waste agency for disposal instructions. Never place unused product down any indoor or outdoor drain.

WEEDS CONTROLLED

When used as directed in this label, this product will control the following weeds:

Barnyardgrass, Annual (Poa annua) Bluegrass, Carpetweed, Chickweed, mouse ear (from seed), Crabgrass (large, smooth), Crowfootgrass, Woolly Cupgrass, Annual Foxtails, Goosegrass¹, Henbit, Itchgrass, Johnsongrass (from seed), Knotweed, Kochia, common Lambsquarters, Lovegrass, Panicum (Texas, Fall, Browntop), Pigweed, common Purslane, Florida Pusley, Rescuegrass¹, Shepherd's Purse¹, Broadleaf Signalgrass, Persian Speedwell, Sprangletop, Prostrate Spurge, Witchgrass, Yellow Woodsorrel (from seed).

¹In many areas a single application of 3.9 lbs. to 9.1 lbs. of product / 1,000 square feet will control goosegrass. Under heavy goosegrass pressure and/or extended growing season, the most effective weed control may be obtained by making an initial application of 3.9 lbs. to 6 lbs. of product / 1,000 square feet followed by a second application 60 to 90 days later at doses that would not exceed the annual maximum annual rate for the turfgrass species listed in the Maximum Annual Rate Table.

²Applications for this weed should be made in late summer, fall, or winter prior to germination.

³Suppression only. Sequential applications may be made so long as the total amount of product applied does not exceed the maximum annual application rates specified for each turf species. All applications must be made prior to germination of the weed seeds.


APPLICATION DIRECTIONS

Apply uniformly with suitable, calibrated application equipment.

ESTABLISHED TURF: This product is a selective preemergence herbicide that, when properly applied, will control certain grass and broadleaf weeds in established turf grasses and lawns. The maximum amount of this product that may be applied per year is given for each turf grass species in the Maximum Annual Rate section of this label. Most effective weed control in turf grasses will be obtained when this product is activated by at least 0.5 inches of rain fall or irrigation prior to weed seed germination and within 14 days following application.

The map below lists approximate crabgrass seed germination dates.

CRABGRASS SEED GERMINATION DATES



USE PRECAUTIONS FOR TURF GRASS AND LAWNS

- Application of this product may thin emerged annual bluegrass and newly overseeded grasses.
- Do not apply to overseeded turf within 60 days after seeding or until after the second mowing, whichever is longer. Injury to desirable seedlings is likely if this product is applied before seeding secondary roots are in the 2nd inch of soil, not thatch plus soil.
- Do not cut (harvest) treated sod before 120 days after application.
- Do not apply to newly set sod until the following year.
- Application of this product to turf stressed by drought, low fertility, or pest damage may result in turf injury.
- Disturbing the herbicide barrier with cultural practices such as disking may result in reduced weed control.
- Do not apply this product to putting greens or areas where dichondra, colonial bentgrass, velvet bentgrass, or annual bluegrass (Poa annua) are desirable species.

RATES OF APPLICATION

This product may be applied as a single application or in two sequential applications 60-90 days apart to control weeds germinating throughout the year.

All applications must be made prior to germination of the target weeds. This product will not control established weeds. Maximum use rate selection should be based on turf species. The length of time of residual weed control provided by this product is related to the rate applied. Do not make more than two (2) applications per calendar year.

SPREADER SETTINGS				
FILL & SET SPREADER	3.9 per 1,000 Sq Ft	6.0 per 1,000 Sq Ft	9.1 per 1,000 Sq Ft	
Ortho Rotary	5	9½	8	
Earthway Rotary	15	18½	22	
Precision Rotary	4½	5½	7	
Precision Broadcast	3½	4½	5½	
Scotts Broadcast/Speedy Green	4½	5½	7	

MAXIMUM ANNUAL RATES

This product is recommended for use on the turf grass species listed in the following table. Do not exceed the maximum yearly rate as given in the following table.

Maximum Application Rate of Sure Green Crabgrass & Annual Bluegrass Preventer plus Lawn Food / Calendar Year by Turf Grass Species ⁽¹⁾		
Turf Species:	Lbs. Product / 1,000 sq. ft.	
Creeping Bentgrass	3.9	
Creeping Red Fescue	4.5	
Buffalograss, Kentucky Bluegrass, Perennial Ryegrass	6.0	
Bermudagrass ⁽²⁾ , Bahiagrass, Centipedegrass		
Seashore Paspalum	9.1	
St. Augustinegrass,		
Tall Fescue (including turf-type)		
Zoysia		

⁽¹⁾These are the maximum rate per calendar year by species limitations.

⁽²⁾May be used on newly sprigged or plugged Bermudagrass at rates not to exceed 3 lbs of product / 1,000 square feet. Newly sprigged or plugged Bermudagrass stolon rooting may be temporarily retarded. Only suppression of foxtail, goosegrass, and rescuegrass will be obtained due to reduced product rates used in sprigging situations.

Do not apply more than 9.1 lbs of product / 1,000 square feet.

Use higher rates of this product to achieve higher levels of fertility and longer periods of weed control for each turf type, but do not exceed the maximum application rates specified in the Maximum Annual Rates Table.

WHEN TO APPLY AFTER OVERSEEDING TURF

Do not apply to overseeded turf within 60 days after seeding or until after the second mowing whichever is longer. Injury to desirable seedlings is likely if this product is applied before seeding secondary roots are in the second inch of soil, not thatch plus soil.

WHEN TO OVERSEED AFTER APPLICATION

This product will inhibit the germination of turf species if overseeded too soon after application. Follow rates and intervals in the following table below for best overseeding / reseeded results.

Sure Green Crabgrass & Annual Bluegrass Preventer plus Lawn Food Rate lbs/1,000 sq ft	Months Before Overseeding		
	North	Transition	South
3.0	4	4	4
3.9	5	4	4
4.5	6	5	5
4.8	-	6	6
6.0	-	7	7
6.9	-	-	9
7.9	-	-	10
9.1	-	-	12

LANDSCAPE ORNAMENTALS

Including Established Perennials and Wildflower Plantings

This product may be applied for residual preemergence weed control in ornamentals.

Use Rates and When to Apply Apply in the fall and / or spring at 3.9 to 9.1 lbs. of this product per 1,000 square feet of ornamental plantings. Use the higher rates of application for longer periods of control. Two sequential applications may be made 60-90 days apart as long as the total amount of product applied does not exceed the maximum annual application rate of 9.1 lbs of product per 1,000 square feet.

Established Landscape Ornamentals

This product may be applied to established ornamentals as a broadcast over the top or directed application. Irrigation or rainfall soon after application will wash residues off plant foliage and activate it into the soil.

Newly Transplanted Landscape Ornamentals

This product may be applied to newly transplanted ornamentals as a broadcast over the top or direct application. Delay application to allow soil to



CRABGRASS & ANNUAL BLUEGRASS PREVENTER

Plus LAWN FOOD

For selective preemergence control of grass and broadleaf weeds in:

- Established lawns and turfgrasses (excluding golf course putting greens)
- Landscape ornamentals
- Established perennials and wildflower plantings

Turf fertilizer containing .38% Prodiamine



ACTIVE INGREDIENT:

Prodiamine (CAS No. 29091-21-2) 0.38%

OTHER INGREDIENTS: 99.62%

TOTAL:100.00%

EPA REG. NO. 228-612-87346

EPA EST. NO. 87346-NM-001

KEEP OUT OF REACH OF CHILDREN

CAUTION PRECAUCION

Si usted no entiende la etiqueta, busque a alguien para que se la explique a usted en detalle. (If you do not understand the label, find someone to explain it to you in detail.)

See back panel for First Aid and additional Precautionary Statements.

For Chemical Spill, Leak, Fire or Exposure,

Call CHEMTREC at 1-800-424-9300.

For Medical Emergencies Only, Call (877) 325-1840.

NET WT. 40 LBS. (18.14 KG)

settle around new transplants and water thoroughly before applying this product. Apply after cuttings form roots and become established. Apply before budding / grafting or after buds/grfts have taken to avoid any inhibition of the tissue union.

HOW MUCH OF THIS PRODUCT AND WHEN TO APPLY - ORNAMENTALS

Sure Green Crabgrass & Annual Bluegrass Preventer plus Lawn Food Rate lbs/1,000 sq ft			
3.0	4.5	6.0	7.9
3.9	4.8	6.9	9.1

TOLERANT ORNAMENTAL SPECIES

This product will not harm most trees, shrubs, vines, and flowers. This product may be applied in all states to species listed below in Table 1. This product may be applied in all states except California to species in Table 2. This product may be applied over the top of the listed species. When plants are under stress (such as heat, drought, or frost damage), some cultivars of listed plants may be sensitive to this product.

Table 1. Tolerant Ornamental Species - All States

Common Name	Scientific Name
Aleppo Pine	Pinus halepensis
Almond, Apricot, Nectarine, Peach, Plum and Prune*	
American Arborvitae	Thuja occidentalis
American Holly	Ilex opaca
Amur Privet	Ligustrum amurense
Austrian Black Pine	Pinus nigra
Avocado*	Persea Americana
Barberry	Berberis gladywensis
Barberry Cotoneaster	Cotoneaster dammeri
Big Blue Lillyturf	Liriope muscari
Border Forsythia	Forsythia intermedia
Bradford Pear	Pyrus spp.
Calabrian Pine	Pinus brutia
Canada Hemlock	Tsuga Canadensis
Canary Island Viburnum	Viburnum rigidum
Cape Weed	Arctotheca calendula
Chinese Hibiscus**	Hibiscus Rosasinensis
Chinese Holly**	Ilex cornuta
Chinese Juniper	Juniperus chinensis
Citrus species*	Citrus spp.
Cleyera	Cleyera japonica
Corel Bells	Raphiolepis indica
Cotoneaster	Cotoneaster buxifolius
Crabapple*	Malus spp.
Cranberry Bush	Viburnum trilobum
Cranberry Cotoneaster	Cotoneaster apiculatus
Crape Myrtle	Lagerstromia indica
Creeping Juniper	Juniperus horizontalis
Douglas Fir**	Pseudotsuga menziesii
Dwarf Periwinkle	Vinca minor
Eastern White Pine	Pinus strobus
English Ivy	Hedera helix
English Laurel	Prunus laurocerasus

WARRANTY DISCLAIMER

The directions for use of this product must be followed carefully. TO THE EXTENT CONSISTENT WITH APPLICABLE LAW, (1) THE GOODS DELIVERED TO YOU ARE FURNISHED "AS IS" BY MANUFACTURER OR SELLER, AND (2) MANUFACTURER AND SELLER MAKE NO WARRANTIES, GUARANTEES, OR REPRESENTATIONS OF ANY KIND TO BUYER OR USER, EITHER EXPRESS OR IMPLIED, OR BY USAGE OF TRADE, STATUTORY OR OTHERWISE, WITH REGARD TO THE PRODUCT SOLD, INCLUDING BUT NOT LIMITED TO MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE, USE, OR ELIGIBILITY OF THE PRODUCT FOR ANY PARTICULAR TRADE USAGE. UNINTENDED CONSEQUENCES, INCLUDING BUT NOT LIMITED TO INEFFECTIVENESS, CROP OR PLANT DAMAGE, OR LOSS OF YIELD, MAY RESULT BECAUSE OF SUCH FACTORS AS THE PRESENCE OR ABSENCE OF OTHER MATERIALS USED IN COMBINATION WITH THE GOODS, OR THE WEATHER, WIND, AND TEMPERATURE, OR THE MANNER OF USE OR APPLICATION, ALL OF WHICH ARE BEYOND THE CONTROL OF MANUFACTURER OR SELLER, AND ASSUMED BY BUYER OR USER.

THIS WRITING CONTAINS ALL OF THE REPRESENTATIONS AND AGREEMENTS BETWEEN BUYER OR MANUFACTURER, AND SELLER, AND NO PERSON OR AGENT OF MANUFACTURER OR SELLER HAS ANY AUTHORITY TO MAKE ANY OTHER REPRESENTATION OR WARRANTY OR AGREEMENT RELATING IN ANY WAY TO THESE GOODS. NO WARRANTIES SHALL BE CREATED BY COURSE OF DEALING, USAGE OF TRADE, OR COURSE OF PERFORMANCE.

THERE ARE NO WARRANTIES THAT EXTEND BEYOND THE FACE HEREOF. THE SELLER OR MANUFACTURER ASSUMES NO RESPONSIBILITY THAT THE GOODS WILL BE FIT FOR ANY PARTICULAR PURPOSE FOR WHICH YOU MAY BE BUYING OR USING THE GOODS, EXCEPT AS OTHERWISE PROVIDED IN THE CONTRACT

LIMITATION OF LIABILITY WARNING

TO THE EXTENT CONSISTENT WITH APPLICABLE LAW, IN NO EVENT SHALL MANUFACTURER OR SELLER BE LIABLE FOR SPECIAL, INCIDENTAL, OR CONSEQUENTIAL DAMAGES, OR FOR DAMAGES IN THEIR NATURE OF PENALTIES RELATING TO THE GOODS SOLD, INCLUDING USE, APPLICATION, HANDLING, AND DISPOSAL. TO THE EXTENT CONSISTENT WITH APPLICABLE LAW, NEITHER MANUFACTURER NOR SELLER SHALL BE LIABLE TO BUYER OR USER OR TO CUSTOMERS OF BUYER, IF ANY, FOR INDEMNIFICATION OR ANY DAMAGES OR SUMS OF MONEY, CLAIMS OR DEMANDS WHATSOEVER, RESULTING FROM OR BY REASON OF, OR ARISING OUT OF, OR IN CONNECTION WITH, THE RETURN OF THE GOODS BY BUYER TO SELLER. IF YOU DO NOT AGREE WITH OR DO NOT ACCEPT ANY OF THE DIRECTIONS FOR USE, THE WARRANTY DISCLAIMERS, OR LIMITATIONS ON LIABILITY, DO NOT USE THE GOODS, AND RETURN IT UNOPENED TO THE SELLER, AND THE PURCHASE PRICE WILL BE REFUNDED. BY USING THE GOODS, YOU EXPRESSLY AGREE TO ALL OF THE TERMS AND CONDITIONS OF THIS CONTRACT. (RV082509) 0111(01)

Table 1. Tolerant Ornamental Species - All States

Common Name	Scientific Name
False Cypress	Chamaecyparis plaifera
Feathery Cassia	Cassia artemisioides
Firethorn	Pyracantha fortuneana
Firethorn	Pyracantha koidzumii
Firethorn Scarlet	Pyracantha coccinea
Formosa	Rhododendron (including Azalea)
Flowering Dogwood	Cornus florida
Fraiser's Photinia (Redtip)	Photinia fraseri
Gardenia, Cape Jasmine	Gardenia jasminoides
Gladiolus species**	Gladiolus spp.
Glossy Privet (Wax Leaf)	Ligustrum lucidum
Grape*	Vitis spp.
Greenstem Forsythia	Forsythia viridissima
Hawthorne	Crataegus spp.
Heavenly Bamboo	Nandina domestica
Hino-crimson	Rhododendron (including Azalea)
Holly	Ilex pernyi
Hop bush	Dodonea viscosa
Hottentot Fig (Ice Plant)	Carpobrotus edulis
Ice Plant	Maleophora luteola
Indian Hawthorne	Raphiolepis indica
Iris species**	Iris spp.
Italian Cypress	Cupressus sempervirens
Japanese Aralia	Fatsia japonica
Japanese Aucuba	Aucuba japonica
Japanese Barberry	Berberis thunbergii
Japanese Black Pine	Pinus thunbergiana
Japanese Boxcherry	Syringium paniculatum
Japanese Boxwood	Buxus microphylla
Japanese Holly	Ilex crenata
Japanese Honeysuckle	Lonicera japonica
Japanese Maple	Acer palmatum
Japanese Pittosporum	Pittosporum tobira
Japanese Privet	Ligustrum japonicum
Japanese Snowball	Viburnum plicatum
Japanese Spindle Tree (Evergreen Euonymus)	Euonymus japonica
Japanese Viburnum	Viburnum japonicum
Japanese Yew	Podocarpus macrophyllus
Japanese Yew	Taxus cuspidata
Kiwi*	Actinidia chinensis
Lady Bank's Rose	Rosa banksiae
Laurustinus	Viburnum tinus
Leatherleaf Fern	Rumohra adiantiformis
Leatherleaf Viburnum	Viburnum wrightii
Lily of the Nile (African Lily)	Agapanthus africanus
Lily of the Valley Shrub	Pieris japonica
Loblolly Pine	Pinus taeda
Longleaf Pine	Pinus palustris
Magnolia species**	Magnolia spp.
Mentor Barberry	Berberis mentorensis

Table 1. Tolerant Ornamental Species - All States

Common Name	Scientific Name
Mondo Grass**	Ophiopogon japonicus
Monterey Pine	Pinus radiata
Narcissus species**	Narcissus spp.
Norway Maple	Acer platanoides
Old Fashioned Weigela	Weigela florida
Oleander	Nerium spp.
Oliver*	Olea europaea
Pampas Grass	Cortaderia selloana
Pistachio*	Pistacia spp.
Queensland	Pittosporum
Pittosporum	rhombifolium
Red Oak	Quercus rubra
Rockspray Cotoneaster	Cotoneaster microphyllus
Rose of Sharon**	Hibiscus
Rosemary*	Rosmarinus officinalis
Roseum Elegans	Rhododendron (including Azalea)
Scotch Heather	Calluna vulgaris
Scotch Pine	Pinus sylvestris
Shrimp Plant	Justicia brandegeana
Silverberry	Elaeagnus pungens
Slash Pine	Pinus eliottii
Spanish Bayonet	Yucca aloifolia
Spreading Euonymus	Euonymus kiauutschovickia
Sourwood	Oxydendrum arboreum
Star Jasmine	Trachelospermum asiaticum
Stonecrop	Sedum album
Shore Juniper	Juniperus conferta
Spruce species** (Colorado Blue, Norway, etc.)	Picea spp.
Sweet Viburnum	Viburnum odoratissimum
Tatarian Honeysuckle	Lonicera tatarica
Trailing African Daisy	Osteospermum fruticosum
Tulip species	Tulipa spp.
Vinca	Vinca major
Vine Hill Manzanita	Arctostaphylos densiflora
Virginia Pine	Pinus virginiana
Walnut*	Juglans spp.
Warty Barberry	Berberis verruculosa
Weeping Bottlebrush	Callistemon viminalis
White Trailing Ice Plant	Delosperma alba
Wild Lilac	Ceanothus rigidus
Winter Jasmine	Jasminum nudiflorum
Wintercreeper	Euonymus fortunei
Wintergreen Barberry	Berberis julianae
Yaupon Holly	Ilex vomitoria
Yew	Taxus media
Yucca, Adam's Needle	Yucca filamentosa

*Do not use on food producing trees, vines, or plants. **Not for use on container grown plants.

See other side for: Table 2. Tolerant Ornamental Species - All States Except CA

18-3-3

GUARANTEED ANALYSIS

Total Nitrogen (N)18.00%

15.00% Ammoniacal Nitrogen
3.00% Urea Nitrogen

Available Phosphate (P₂O₅)3.00%

Soluble Potash (K₂O)3.00%

Sulfur (S)14.00%

12.00 % Combined Sulfur

2.00% Elemental Sulfur

Iron (Fe)1.00%

Derived from: Ammonium Sulfate, Urea, Ammonium Phosphate, Muriate of Potash Iron Oxide, Elemental Sulfur. Information concerning this raw materials composing this product can be obtained by writing to Spra-Green Lawn Fertilizer, LLC.



Manufactured/Guaranteed by:
Spra-Green Lawn Fertilizer, LLC
PO BOX 845 • 221 N. Main • Portales, NM 88130